



REVOLUTIONIZE YOUR LIFESTYLE WITH WATER

Change your water change your life™



Powerful large electrode plate of eight

Equipped with a built-in electrolyte enhance tank

You will be prompted by a voice and large LCD display

Continuous Ionized electrolysis water generator

The power of kangen water preserves
your body and environment!

Leveluk Jr IV

Continuous Ionized Electrolysis Water Generator

PRODUCT SPECIFICATION



LeveLuk Jr IV

Continuous Ionized Electrolysis Water Generator



Warranty: 3-years

No	Particulars	Description
1	Power supply rated current	220 - 240 V AC 50/60 Hz 1.6A
2	Power Consumption	Approx. 160W (under maximum electrolysis function)
3	Dimensions	13.3(H)x10.4(W)x6.7(D)inch/ 338(H)x264(W)x171(D)mm
4	Weight	5.3 kg
5	Production Rate	Kangen Water: 2.0L - 3.0L / min. Acidic Water : 0.3L - 0.5L Strong Acidic water: 0.5L - 1.0L /min.
6	Feed water pressure approx	14.5 psi/ 100 kPa -450 kPa
7	Materials of plate	Platinum-plated titanium
8	Number of plates	4
9	Electrolysis Enhancer	One time addition produces approx. 1.0-1.3 gallons of Strong Acidic water.
10	Electrolysis Capability	Approx. 30 min at normal room temperature



REVOLUTIONIZE YOUR LIFESTYLE WITH WATER

Change your water change your life™



Kangen water power changes your life!

LeveLuk Super 501

Kangen water Continuous strong acidic water generator

PRODUCT SPECIFICATION



Kangen water power changes your life!

Leveluk Super 501

Kangen water Continuous strong acidic water generator



Warranty: 5-years

No	Particulars	Description
1	Power supply rated current	220 - 240 V AC 50/60 Hz 1.6A
2	Power Consumption	Max. approx. 230W
3	Dimensions	13.3(H)x10.4(W)x6.7(D)inch/338(H)x264(W)x171(D)mm
4	Weight	6.3 kg
5	Production Rate	Kangen Water®: 2.6L - 4.6L Acidic Water: 0.5L - 1.5L Strong Acidic water: 0.7L - 1.1L
6	Feed water pressure approx	14.5 psi/ 100kPa
7	Materials of plate	Platinum-plated titanium
8	Number of plates	7
9	Electrolysis Enhancer	One time addition produces approx. 1.0-1.3 gallons of Strong Acidic water
10	Electrolysis Capability	Approx. 30-60 min at normal room temperature



REVOLUTIONIZE YOUR LIFESTYLE WITH WATER

Change your water change your life™



Leveluk SD501
platinum

Leveluk *SD501* platinum



Warranty: 5-years

No	Particulars	Description
1	Power supply rated current	220 - 240 V AC 50/60 Hz 1.6A
2	Power Consumption	Max. approx. 230W
3	Dimensions	13.3(H)x10.4(W)x6.7(D)inch/ 338(H)x264(W)x171(D)mm
4	Weight	6.3 kg
5	Production Rate	Kangen Water®: 2.6L - 4.6L Acidic Water: 0.5L - 1.5L Strong Acidic water: 0.7L - 1.1L
6	Feed water pressure approx	14.5 psi/ 100kPa
7	Materials of plate	Platinum-plated titanium
8	Number of plates	7
9	Electrolysis Enhancer	One time addition produces approx. 1.0-1.3 gallons of Strong Acidic water
10	Electrolysis Capability	Approx. 30-60 min at normal room temperature



REVOLUTIONIZE YOUR LIFESTYLE WITH WATER

Change your water change your life™



Powerful
large electrode plate of eight

Large LCD touch panel
adaption

Eight Languages display
and voice prompt

Anywhere in the world supporting
multivoltage power input(100-240v)

The power of kangen water® preserves
your Body and environment!

**Leveluk
KANGEN8**
Continuous Ionized Electrolysis Water Generator

Leveluk KANGEN8

Continuous Ionized Electrolysis Water Generator



Warranty: 5-years

No	Particulars	Description
1	Power supply rated current	100 - 240 V, 50/60 Hz 2.0 - 1.0 A
2	Power Consumption	Max. approx. 230W
3	Dimensions	13.6(H)x11(W)x5.7(D)inch / 346(H)x280(W)x147(D)mm
4	Weight	5.0 kg
5	Production Rate	Kangen Water®: 4.5L - 7.5L Acidic Water: 1.5L - 2.6L Strong Acidic water: 0.6L - 1.1L
6	Feed water pressure approx	14.5 psi/ 100kPa
7	Materials of plate	Platinum-plated titanium
8	Number of plates	8
9	Electrolysis Enhancer	One time addition produces approx. 1.0-1.3 gallons of Strong Acidic water
10	Electrolysis Capability	Approx. 30 min at normal room temperature



REVOLUTIONIZE YOUR LIFESTYLE WITH WATER

Change your water change your life™



Powerful large electrode plate of eight

Equipped with a built-in electrolyte enhance tank

You will be prompted by a voice and large LCD display

The power of kangene water® preserves
your Body and environment!

Leveluk^{SD}
Continuous Ionised Electrolysis Water Generator

LeveLuk^{SD} 501

Continuous Ionised Electrolysis Water Generator



Warranty: 5-years

No	Particulars	Description
1	Power supply rated current	220 - 240 V AC 50/60 Hz 1.6A
2	Power Consumption	Max. approx. 230W
3	Dimensions	13.3(H)x10.4(W)x6.7(D)inch/338(H)x264(W)x171(D)mm
4	Weight	6.3 kg
5	Production Rate	Kangen Water®: 2.6L - 4.6L Acidic Water: 0.5L - 1.5L Strong Acidic water: 0.7L - 1.1L
6	Feed water pressure approx	14.5 psi/ 100kPa
7	Materials of plate	Platinum-plated titanium
8	Number of plates	7
9	Electrolysis Enhancer	One time addition produces approx. 1.0-1.3 gallons of Strong Acidic water
10	Electrolysis Capability	Approx. 30-60 min at normal room temperature



REVOLUTIONIZE YOUR LIFESTYLE WITH WATER

**Moisturize your skin,
make your hair shiny!**



The power of kangaroo water[®] preserves
your Body and environment!

Mineral ion water

AENESPA[®] DX

Mineral ion water indicator

Patent/Trademark applied

PRODUCT SPECIFICATION



Warranty: 3-years

No	Particulars	Description
1	Power supply rated current	N/A
2	Power Consumption	N/A
3	Dimensions	130 x 346mm
4	Weight	2.5 kg
5	Generates	Mineral ion water for your bath or shower, Activated mildly alkaline water which is good for your skin. Strong negative-ions
6	PH Range	Same as tap water
7	Production Rate	10-15L (l/min)
8	Material	Water purification Cartridge, Ceramic Cartridge, Neodymium magnet, MIC stone, Power stone
9	New features for DX model	Larger ceramic cartridge containing a greater amount of ceramic balls. New, redesigned base for a more efficient filter replacement process

DISCLAIMER

This booklet/presentation and its content are provided for Enagic Direct Sellers by Enagic India Kangen Water Pvt Ltd (Enagic India) for business orientation and educational purposes. This presentation does not permit medical and curative claims about the Enagic product and its features. Enagic India and the producers do not take responsibility for any direct, indirect, implied, punitive, special, incidental or other consequential damages arising directly or indirectly on account of any actions based on the presentation. Reproduction or commercial distribution of this presentation is not permitted. Information in this presentation is subject to change as per amendment in our company policy and procedure. Kindly refer to the Policy and Procedure Handbook/presentation copy updated from time to time on the company website www.enagic.co.in

For, Enagic India Kangen Water Pvt Ltd.

All rights reserved. Reproduction of this document in any manner is prohibited.

For any information/feedback please contact Enagic India Customer Care, 080-46509900 or marketing-india@enagic.co.in



**SETTING THE STANDARD
FOR MORE THAN 45 YEARS**

Enagic India "Additional Business Promotion Guide" is made Available at cost on a no profit basis and published exclusively for Enagic India Direct Sellers, By Enagic India Kangen Water PVT.LTD.

Please note that purchase of this 'Additional Business Promotion Guide' is voluntary and not for sale to prospects and preferred customers.

© 2020, All rights reserved. Reproduction of this document in any manner is prohibited.
For any information/Feedback please contact Enagic India Customer care, 080-465099000 or marketing-india@enagic.co.in

Contact : RAJIV JAIN - 9555 344 344 (Independent Global Distributor)